



ш

THE

OLL FCT ION

100





## SNIPPETS OF MEMORY IN THE COLOURS OF THE MATERIAL

Our latest collection is made out of well-chosen marbles. The collection combines an excellent interpretation of the marble with the technical characteristics and functional benefits of the best ceramics, allowing one to design contemporary environments with a strong personality.

The collection offers a careful selection of surfaces with a strong refined character. Our surfaces can be further distinguished by distinctively expanding their design potential. All of our designs are a perfect pick for stylish and luxurious environments.



An
Unalterable Charm That
Evokes Naturalness
And Makes Living
Spaces Contemporary.



## Customized Designs,

Architecture and design come together to offer a finished product with invaluable longevity, due to the quality of its materials and the timelessness of its designs.

600 X 1200 MM

Infinite, seamlessly integrated with the surroundings, and exotic; with striking and functional surfaces.



## Product FEATURES









RESISTANT TO ICE AND FOREST

FIRE &
HIGH-TEMPERATURE
RESISTANT



SCRATCH & IMPACT RESISTANT



CHEMICAL & STAIN RESISTANCE



UNALTERABLE TO UV RAYS








-









BRESDYNE Series



Finish: Matt

Thickness : 09 mm

Random: 03









BRESDYNE GREY

Finish: Matt

Thickness : 09 mm

Random : 03









BRESDYNE GRIS







N

BRUSHED Series

1

THE



Finish: Matt

Thickness : 09 mm











Finish: Matt

Thickness : 09 mm










Finish: Matt

Thickness: 09 mm









Finish: Matt

Thickness: 09 mm













1



Finish: Matt

Thickness : 09 mm











Finish: Matt

Thickness : 09 mm











Finish: Matt

Thickness : 09 mm











Finish: Matt

Thickness : 09 mm

















DUNE Series


1




Finish: Matt

Thickness : 09 mm













Finish: Matt

Thickness : 09 mm













Finish: Matt

Thickness : 09 mm











Finish: Matt

Thickness : 09 mm















Finish: Matt

Thickness : 09 mm











Finish: Matt

Thickness : 09 mm











Finish: Matt

Thickness : 09 mm











Finish: Matt

Thickness : 09 mm














THE



N


ETHIMO Series

1




Finish: Matt

Thickness : 09 mm











Finish: Matt

Thickness : 09 mm













Finish: Matt

Thickness : 09 mm










Finish: Matt

Thickness : 09 mm
















Finish: Matt

Thickness : 09 mm
















THE



Finish: Matt

Thickness : 09 mm










Finish: Matt

Thickness : 09 mm











Finish: Matt

Thickness : 09 mm











Finish: Matt

Thickness : 09 mm
















Finish: Matt

Thickness : 09 mm

Random : 03









NEPTUNE BEIGE

Finish: Matt

Thickness : 09 mm













Finish: Matt


Thickness : 09 mm

Random: 03









NEPTUNE GREY


Finish: Matt

Thickness : 09 mm















THE

1



Finish: Matt

Thickness : 09 mm

Random : 03









ROSSELE BEIGE


Finish: Matt

Thickness : 09 mm














Finish: Matt

Thickness : 09 mm











Finish: Matt

Thickness : 09 mm

Random: 03







ROSSELE GREY

Finish: Matt

Thickness : 09 mm

Random : 03









ROSSELE CAFÉ







N

WILLYAM Series





Finish: Matt

Thickness : 09 mm









Finish: Matt

Thickness : 09 mm

Random : 03









WILLYAM BROWN



## TECHNICAL SPECIFICATION

## **PACKING DETAILS**

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600x1200mm	9mm	2	1.44 Sq. Mtr.

WE SUPPORT



Simultaneously we take all measures to curb the waste caused because we believe in keeping our country clean - Swachh Bharat at all costs.



We support the Government's initiative of Make In India and thus manufacture all of our products on our own land.

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP Bla	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER

STRUCTURAL PROPERTIES					
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3	
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082	

MASSIVE MECHANICAL PRO	PERTIES				
Modulus of rupture	Min. 35 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4	
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4	
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5	

SURFACE MECHANICAL PROPERTIES						
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7		
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101		

THERMO HYGROMETRIC PRO	THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12	
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9	
Moisture expansion	Nil	Nil	Nil	ISO-10545-10	
Thermal expansion (COE)	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.5x10 <sup>-6</sup>	Max. 6.5 x 10 <sup>-6</sup>	ISO-10545-8	
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11	

CHEMICAL PROPERTIES					
Chemical resistance	No damage	No damage	No damage	ISO-10545-13	
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14	

SAFETY PROPERTIES					
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17	
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.	
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15	



THE